



CD-292USB

Order No.: 21.2790

EUR 399,00

RRP *

PRODUCTINFOS

Professional dual DJ CD and MP3 player,

with USB 2.0 interface.

Due to the combined device access technology (CDA), both drives can access the same USB reproduction medium simultaneously. Thus, e.g. pre-fader listening to the tracks is possible during the current reproduction without having to stop the PA application in the function room. In addition, a second USB storage medium can be connected for common use or for split operation (each drive uses its own medium).

- USB storage media can be connected directly (e.g. USB hard disk, USB flash drive)
- Capable of multi-partition (NTFS, FAT, HFS+)
- Supports ID3 tags and CD text
- Supports play lists (M3U, XML, WPL)
- Anti-shock system (CDDA and MP3 CD)
- Pitch control: $\pm 8/\pm 16/\pm 100\%$
- Master tempo
- Pitch bending
- Seamless loop/reloop function

- Autoloop
- Loop editing and autoloop editing
- Scratch effect
- Automatic beat counter (switchable to manual)
- Speed search for tracks and folders
- Repeat folder
- Relay play
- Cue function
- 2-way hot cue
- Automatic cue
- Fader start
- Track programming, 99 tracks
- Folder navigation
- Jog dial
- Sleep mode
- Switchable display of the running time of one track as well as the remaining running time of one or all tracks
- 482 mm (19") rack installation
- Audio CD/CD-R/MP3 CD

Beat 12/2011

Dual DJ CD and MP3 player,

"The CD-292USB definitely knows how to improve the reputation of rack-based DJ solutions. The unit appears to be professional in every way ... a high-quality system ... is more than just a suitable unit for playing tracks."

with USB 2.0 interface and SD/MMC card slot.

- USB flash drives can be connected directly
- For SD/MMC cards up to 32 GB (FAT16/FAT32), available at option
- Anti-shock system
- Seamless loop
- Supports ID3 tags (track display)
- Safe operation due to illuminated rubber buttons
- Pitch control: $\pm 4/\pm 8/\pm 16\%$
- Pitch bending
- Search for file/track
- Search function via jog dial
- Scratch function
- Repeat function (repeat 1, repeat all)
- 20 tracks can be programmed
- Smallest search step: 1 frame

- Switchable display of the running time of one track as well as the remaining running time of one or all tracks
- Bar graph display
- Quick start (automatic cue)
- 482 mm (19") rack installation
- Audio CD/CD-R/MP3 CD

TECHNICAL SPECIFICATIONS

CD-292USB

Type	Dual DJ CD and MP3 player
Media	CD, MP3, USB
Frequency range	20–20,000 Hz
THD	< 0.1%
Channel separation	> 80 dB
Dynamic range	> 80 dB
S/N ratio	> 80 dB
Output, analogue	2 V
Power supply	~ 230 V/50 Hz/40 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	40 VA
Admiss. ambient temp.	0–40 °C
Dim., player mech.	482 x 90 x 260 mm, 2 RS
Dim., control panel	482 x 90 x 85 mm, 2 RS
Weight	6.5 kg
Connections	2 x RCA L/R, 2 x 3.5 mm jack (fader start), 2 x cable, 8-pole mini DIN, length: 1.2 m (control connection)

* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.