Special Machines

2.3 kg



NEW DMX

EUROLITE B-100 Bubble machine black DMX

Bubble machine with DMX control

- A rotating wheel with rings takes up the bubble fluid
- A ventilator distributes the generated bubbles in the whole room
- · Low fluid consumption
- · Hanging or standing installation possible

No. 51705103

Technical specifications: Power supply: 230 V AC, 50 Hz ~ Power consumption: DMX-control-channels: DMX-512-connection: 3-pin XLR Tank volume: 21 Dimensions (LxWxH): 230 x 260 x 300 mm



EUROLITE B-110 Bubble machine black LEDs blue

Bubble machine with color effect

- . Equipped with 2 blue LEDs
- · Low fluid consumption
- · Hanging or standing installation possible



No. 51705105

Weight:

Technical specifications:	
Power supply:	230 V AC, 50 Hz ~
Power consumption:	32 W
Tank volume:	approx. 1 I
Number of LEDs:	2 x 3 W LED, blue
Dimensions (LxWxH):	245 x 270 x 270 mm
Weight:	3 kg



EUROLITE B-120 Bubble machine, 3L

Bubble machine

- · With 3 liter tank for permanent operation
- · Low fluid consumption
- · Very low power consumption (45 Watts)

No. 51705110

l specifications:

Power supply:	230 V AC, 50 Hz ~
Power consumption:	45 W
Tank volume:	approx. 3 I
Dimensions (LxWxH):	410 x 260 x 235 mm
Weight:	5 kg



EUROLITE BH-200 Bubble machine

Bubble machine

- · Mega output via two bubble wheels
- · Rotating wheels are individually controlable
- Very low power consumption (70 Watts)

No. 51705135

Technical specifications:

Power supply:	230 V AC, 50 Hz ~
Power consumption:	70 W
Tank volume:	approx. 3.5 I
Dimensions (LxWxH):	415 x 345 x 260 mm
Weight:	8 kg



EUROLITE BW-100 Bubble Machine

Bubble machine

- · Very low power consumption
- · Low fluid consumption
- · Hanging or standing installation possible

No. 51705124

Technical specifications:

Power supply:	230 V AC, 50 Hz ~
Power consumption:	19.4 W
Tank volume:	0.71
Dimensions (LxWxH):	345 x 225 x 242 mm
Weight:	4 kg



NEW DMX

EUROLITE BW-200 Bubble Machine

Bubbles with DMX control

- · Very low power consumption
- . DMX512 control possible via any commercial DMX controller (occupies 1 channel)
- Addressing and setting via dip switches
- · Hanging or standing installation possible

No. 51705130

Technical specifications:

Power supply:	230 V AC, 50 Hz \sim
Power consumption:	34 W
DMX-control-channels:	1
DMX-512-connection:	3-pin XLR
Tank volume:	21
Dimensions (LxWxH):	390 x 400 x 280 mm
Weight:	7.7 kg