



## MPX-20USB

Order No.: 20.2860

**EUR 89,90**

RRP \*

### PRODUCTINFOS

#### **3-channel stereo DJ mixer,**

with USB interface. Plug and mix!

- Integrated USB audio interface (will be identified and addressed as an external sound card)
- Full duplex USB port (allows for simultaneous recording and reproduction) for reproduction of digital audio data from a PC as well as for recording mixings onto a PC
- 1 microphone input channel
- 2 stereo input channels, switchable line/phono and USB/line/phono
- 1 stereo output channel (master)
- 1 stereo record output
- Pre-fader listening (CUE) to the stereo input channels via adjustable headphone output
- Crossfader
- LED level display
- Robust metal housing of compact size
- Power supply via USB interface or optional power supply with USB port

**tools4music 04/2015**

"Robust design, neat workmanship and great test results. The features of this unit certainly meet the requirements of practical applications."

**delamar.de 11/2014**

"The MPX-20USB from IMG Stage Line is a respectable mixer for two channels plus microphone which combines all the important features at a compact size. Great for DJs who concentrate on the essentials. Also suitable for anyone requiring a reliable second unit ... As a little bonus, there are in fact two headphone jacks. This space-saving mixer is able to crossfade two audio signals and well suited for home applications."

## TECHNICAL SPECIFICATIONS

**MPX-20USB**

|  |   |
|--|---|
| No. of channels                          | 4   |
| No. of inputs                            | 5   |
| Mic input                                | 1 mV, 1 x 6.3 mm jack                                 |
| Line input                               | 450 mV, 2 x RCA L/R                                   |
| Phono input                              | 9 mV, 2 x RCA L/R                                     |
| Master output                            | 1 V, 1 x RCA L/R                                      |
| Record output                            | 1 V, 1 x RCA L/R                                      |
| Headphones                               | $\geq 8 \Omega$ , 1 x 3.5 mm jack,<br>1 x 6.3 mm jack |
| USB                                      | yes   |
| Frequency range                          | 20-20,000 Hz  |
| THD                                      | 0.1%  |
| S/N ratio                                | 63 dB, unweighted                                     |
| Crossfader                               | yes   |
| Power supply                             | DC 5 V/500 mA<br>via USB interface                    |
| Operating voltage (possible alternative) | DC 5 V  |
| Power supply (possible alternative)      | DC 500 mA   |
| Admiss. ambient temp.                    | 0-40 °C   |
| Width                                    | 150 mm  |
| Height                                   | 70 mm   |
| Depth                                    | 140 mm  |

## MPX-20USB

Weight

700 g

\* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.